

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

**Trade Name:** QuantiFluo™ Urokinase Inhibitor Assay Kit  
**Item Number:** DUKI-100  
**Manufacturer:** BioAssay Systems  
3191 Corporate Place  
Hayward, CA 94545. USA  
Tel: 510-782-9988; Fax: 510-782-1588  
Email: info@bioassaysys.com

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids (Category 4), H227

**GHS Label elements, including precautionary statements****Pictogram**

**Signal word:** Warning

**Hazard statements**

H227 Combustible liquid

**Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces.

P273 Avoid release to the environment.

P280 Wear protective gloves/clothing and eye/face protection.

P302 + P352: *If on skin:* Wash with plenty of soap and water.

P304 + P340: *If inhaled:* Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338: *If in eyes:* Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a doctor/ physician if you feel unwell.

P332 + P313: *If skin irritation occurs:* Get medical advice/ attention.

P337 + P313: *If eye irritation persists:* Get medical advice/ attention.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

This product contains the following components and mixture of the following substances with non-hazardous additions.

**Assay Buffer B: 10 mL Liquid**

Contains 0.5-5% Tris(hydroxymethyl)aminomethane (CAS#: 77-86-1).

**Substrate: 600 µL Liquid**

Non-hazardous

**Inhibitor: 40 µL Liquid**

Contains 50-99% dimethyl sulfoxide (CAS#: 67-68-5).

**SECTION 4. FIRST AID MEASURES**

**Eye:** Eye irritation. Flush immediately with large amounts of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Get immediate medical attention.

**Skin:** Itching or burning of the skin. Immediately flush the skin with plenty of water while removing contaminated clothing and shoes. Get immediate medical attention. Wash contaminated clothing before reuse.

**Inhalation:** Remove exposed person from source of exposure to fresh air. If not breathing, clear airway and start cardiopulmonary resuscitation (CPR). Avoid mouth-to-mouth resuscitation.

**Ingestion:** Get immediate medical attention. Do not induce vomiting unless directed by medical personnel.

**SECTION 5. FIRE FIGHTING MEASURES**

**Extinguishing media:** water spray, carbon dioxide, dry chemical powder or appropriate foam.

**Special firefighting procedures:** wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

**Unusual fire and explosion hazards:** emits toxic fumes under fire conditions.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Keep unnecessary people away; isolate hazard area and deny entry. Small spills: Take up with sand or other noncombustible absorbent material and place into containers for later disposal. Large spills: Dike far ahead of liquid spill for later disposal. Do not flush to sewer or waterways. Prevent release to the environment if possible.

**SECTION 7. HANDLING AND STORAGE**

Keep receptacles tightly sealed and store according to the instructions in the assay protocol.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Follow standard laboratory safety procedures, including wearing chemical safety goggles, face shield, gloves, NIOSH approved respiratory protection and protective clothing. Wash and dry hands.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Refer to 3. Composition/Information On Ingredients.

**SECTION 10. STABILITY AND REACTIVITY**

**Thermal Decomposition:** no decomposition if used according to specifications. **Dangerous Products of Decomposition:** nitrogen and sulfur oxides. **Dangerous Reactions:** none.

**SECTION 11. TOXICOLOGICAL INFORMATION**

The toxicological effects of this product have not been thoroughly studied. We recommend handling all chemicals with caution.

Dimethyl sulfoxide - Acute toxicity Oral LD50 rat, 14,500 mg/kg; Inhalation LC50 rat 4h: 40250ppm. Dermal LD50 rabbit: >5,000 mg/kg; Other information on acute toxicity: no data available.

**SECTION 12. ECOLOGICAL INFORMATION**

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

**SECTION 13. DISPOSAL INFORMATION**

Dispose in accordance with local, state or national regulations.

**SECTION 14. TRANSPORT INFORMATION**

DOT (US) - Not dangerous goods.

IMDG - Not dangerous goods.

IATA - Not dangerous goods.

**Additional Transport Information:** transport in accordance with local, state and national regulations.

**SECTION 15. REGULATORY INFORMATION**

**OSHA Hazards:** Target Organ Effect.

**SARA 311/312 Hazards:** Chronic Health Hazard.

**SECTION 16. OTHER INFORMATION**

*The above information is believed to be accurate, but does not purport to be all inclusive and shall be used only as a guide. BioAssay Systems makes no warranty, express or implied, and assumes no responsibility as to the accuracy or suitability of such information or application to the User's intended purpose or for consequences of its use. The Users should make independent decisions regarding the completeness of information based on all sources available.*

